



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Roderick Scott
Serial No. : 10/058,825
Filed : January 30, 2002
Title : MODIFIED PLANTS

Art Unit : 1638
Examiner : Stuart Baum

Commissioner for Patents
Alexandria, VA 22313-1450

DECLARATION UNDER 37 C.F.R. § 1.132 OF STEVEN E. JACOBSEN

I, Steven E. Jacobsen, declare as follows:

1. I am a citizen of the United States and presently reside at 29087 Saddlebrook Drive, Agoura Hills, CA 91301.
2. I received a B.S. degree in 1987 from California Polytechnic State University in San Luis Obispo, California, majoring in Crop Science. I received a Ph.D. degree in 1993 from the department of Plant Biology at the University of Minnesota. I was employed as a post-doctoral researcher in the laboratory of Dr. Elliot Meyerowitz at the California Institute of Technology from 1993 to 1998.
3. I am presently a Professor of Molecular, Cell and Developmental Biology at the University of California, Los Angeles (UCLA) and have been so employed since 2003. I was employed as Assistant Professor and Associate Professor of Molecular, Cell and Developmental Biology at UCLA from 1998 to 2003. I am currently an Investigator of the Howard Hughes Medical Institute and have been so employed since 2005.

CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. EV 566217046 US

July 27, 2006
Date of Deposit

4. I was named a Fellow of the American Association for the Advancement of Science in 2004. I also received the Searle Scholar and Beckman Young Investigator Awards in 2000.

5. I am an author or co-author on a number of publications in refereed scientific journals, and an author or co-author on several review articles. A copy of my bibliography is attached.

6. Major research interests in my laboratory are the genetics of DNA methylation patterning in *Arabidopsis* and genome wide analysis of DNA methylation. I have been involved in research in these subject areas since 1997.

7. I am familiar with the literature regarding the genetics and biochemistry of DNA methylation in plants.

8. I have been engaged by Ceres, Inc. as a consultant with respect to prosecution of U.S. Patent Application No. 10/058,825 ("the '825 application"). I understand Ceres is a licensee of the '825 application.

9. I have read the '825 application, the claims pending as of January 27, 2006 in the '825 application, and the Examiner's Office Action mailed January 27, 2006 for the '825 application.

10. It is my opinion that, in 1999, a researcher in the area of plant molecular biology would not have interpreted a partial *Arabidopsis* or *Zea mays* DNA methyltransferase 1 Met1 sequence as used in the pending claims to comprise only two nucleotides from the *Arabidopsis* or *Zea mays* DNA methyltransferase 1 Met1 sequences.

11. One of ordinary skill, after reading the '825 application, would have realized that the subject matter of the application relates, *inter alia*, to the use of *Arabidopsis* or *Zea mays* Met1 sequences for downregulation. One of ordinary skill would have known that sequences having

only 2 nucleotides of sequence identity are too short to stably hybridize to a complementary sequence such that downregulation can occur. One of ordinary skill would have known this from, for example, the Cannon et al. reference, which states that they “have found that a 41-base pairing homology was sufficient to give up to a 100% inhibition of GUS expression.” Cannon et al. *Plant Mol. Biol.* 15:39-47 at page 46. The Cannon reference also states at page 39 that “[a]ntisense RNA has a complementary sequence to mRNA and inhibits gene translation by a mechanism as yet unknown but presumed to involve duplex formation.” The Gutterson reference states that sense suppression was observed “at sizes down to 225 bp; however, the proportion of plants with a high level of suppression decreased with decreasing fragment length, most notably below 550 bp.” Gutterson, (1995) *HortScience* 30:964-966 at page 965. Therefore, one of ordinary skill would have recognized that two consecutive nucleotides is not a partial *Arabidopsis* or *Zea mays* DNA methyltransferase 1 *MET1* sequence because a dinucleotide is not of a sufficient length to permit downregulation.

12. I have read the Jacobsen 2000 *Current Biology* reference (Jacobsen et al., 2000, *Current Biology* 10:179-186). The subject matter of the 2000 *Current Biology* reference concerned, *inter alia*, the observation that the *AGAMOUS* gene was hypermethylated in an *Arabidopsis* line expressing a Met1 antisense construct. These lines were previously described as having up to a 90% decrease in overall DNA methylation. Finnegan et al., (1996) *Proc. Natl. Acad. Sci. U.S.A.* 93:8449. An earlier publication, the Jacobsen 1997 reference, showed that the *SUPERMAN* gene was hypermethylated in the same *Arabidopsis* line expressing a Met1 antisense construct, and these experiments also confirmed the simultaneous overall hypomethylation in this line. (Jacobsen et al., *Science* 1997 277:1100-1103).

13. I am the first author of the Jacobsen 2000 reference and the Jacobsen 1997 reference.

14. The observation of hypermethylation of the *SUPERMAN* gene or the *AGAMOUS* gene in *Arabidopsis* Met1 antisense construct-containing lines does not change the fact that these lines

had a significant reduction in the degree of overall DNA methylation. The data about the *SUPERMAN* and *AGAMOUS* genes in the Jacobsen 1997 and 2000 references have no bearing on whether one of ordinary skill would have expected a decrease in the degree of overall DNA methylation upon downregulation of Met1 expression.

15. It is my understanding that the Examiner interpreted the language in claims 20 and 62 regarding a construct comprising a promoter and another sequence to mean that the sequence is located in a position not necessarily next to the promoter and that the promoter would not necessarily affect the transcription of the sequence. Based on my review of the '825 application, one of ordinary skill would consider such an interpretation of claims 20 and 62 to be unreasonable. One of ordinary skill would interpret these claims to mean that a promoter that targets expression to female germ line cells drives transcription of the indicated Met1 sequence, based on statements in the '825 application such as those at page 30, lines 15-19 and Examples 3 and 4.

16. It is my opinion that the techniques required to screen and identify Met1 downregulation construct-containing plants that have a decrease in DNA methylation would have been routine for one of ordinary skill, because the techniques involved would have been typical of those carried out by one of ordinary skill. Such techniques include constructing DNA clones containing partial and full-length *Arabidopsis* or *Zea mays* DNA methyltransferase 1 Met1 sequences, constructing plant transformation vectors, transforming plants, and screening for overall DNA methylation status.

17. I have read the Fourgoux-Nicol reference (Fourgoux-Nicol et al., 1999, Plant Molecular Biology 40:857-872).

18. The Fourgoux-Nicol reference involved the cloning of genes involved in male gametophyte development. Fourgoux-Nicol at page 857, Abstract. The reference reports that the

authors succeeded in isolating 13 cDNAs whose expression was strictly confined to the male gametophyte and was high in the microspore. Fourgoux-Nicol at page 862, right-hand column. Thus, the reference shows that hybridization techniques were used successfully to isolate clones.

19. The authors of the Fourgoux-Nicol reference focused their analysis on one of the thirteen cDNA clones whose expression was strictly confined to the male gametophyte and was high in the microspore. The selected clone was designated M3 and had a length of 497 bp. Fourgoux-Nicol at page 863, left-hand column. M3 was used in a second round of screening by stringent hybridization to isolate a second cDNA clone, designated M3.21. M3.21 has a length of 674 bp. Fourgoux-Nicol at page 863, left-hand column. M3 and M3.21 were sequenced and found to have non-identical sequences, including a 99 base pair insertion in M3 that was not present in M3.21, and several single nucleotide polymorphisms between the two. Fourgoux-Nicol at page 863, right-hand column, and page 862 Figure 2. Further analysis, including Southern hybridization, indicated that the M3 and M3.21 cDNAs were derived from two homologous genes. Fourgoux-Nicol at page 864, left-hand column. Thus, the reference shows that 100% sequence identity is not required in order to successfully isolate related sequences by nucleic acid hybridization.

20. The fact that nucleic acids that do not have 100% DNA sequence identity, such as M3 and M3.21, can hybridize to each other would indicate to one of ordinary skill that hybridization would likely occur between a partial or full length *Arabidopsis* or *Zea mays* DNA methyltransferase 1 Met1 sequence and an endogenous DNA methyltransferase 1 Met1 target even when there is less than 100% sequence identity.

21. I have read the following references: Hibino T., et al. (1995) Biosci. Biotech. Biochem 59:929-931; Bolitho, K. M., et al. (1997) Plant Science 122: 91-99; Elkind, Y., et al. (1990) Proc Natl Acad Sci U S A 87(22): 9057-61; and Salehuzzaman, S. N., et al. (1993) Plant Mol Biol 23(5): 947-62.

22. Hibino et al. report that introduction of an *Aralia cordata* cinnamyl alcohol dehydrogenase (CAD) antisense construct into tobacco resulted in an approximately 20-55% reduction in CAD activity. See page 929 and Figure 1 of Hibino. Bolitho et al. report that introduction of an apple antisense ACC-oxidase reduced the level of RNA and the activity of the corresponding gene in tomato. See Figures 3 and 4 of Bolitho. Salehuzzaman et al. report that introduction of a cassava granule bound starch synthase antisense gene suppressed levels of the corresponding protein in potato. See Figure 10 in Salehuzzaman. Elkind et al. report that introduction of a bean phenylalanine ammonia-lyase (PAL) sense sequence into tobacco resulted in reduced levels of PAL activity and reduced accumulation of endogenous PAL transcripts. See Elkind at page 9059-9060. Each of these references shows that a sequence introduced into a heterologous plant species successfully downregulated an endogenous heterologous gene, either as evidenced by the reduction of the heterologous RNA, the reduction of the protein in the heterologous plant, or the downregulation of the desired trait or activity, even when the sequence identity was less than 100 %. The downregulation was mediated via sense suppression in some cases, and via antisense suppression in other cases.

23. It is my opinion that one of ordinary skill would have expected that in general heterologous partial or full length sequences can be used to downregulate endogenous genes based on, *inter alia*, the successful results reported in the references of paragraph 22.

24. I have read the Emery reference (Emery et al., 2003, Current Biology 13:1768-1774).

25. It is my opinion that one of ordinary skill, after reviewing the Emery reference, would not conclude that use of antisense techniques in plant molecular biology requires a 100% sequence match between an introduced sequence and its target. While the Emery reference reports that mismatches introduced within microRNA target sites can abolish miRNA function, such a result does not mean that sequences with imperfect homology would necessarily be ineffective for

downregulation. The references mentioned in paragraph 22 above show that sequences with less than 100% sequence identity to an endogenous gene have been used successfully to downregulate genes in plants. For example, apple and tomato ACC-oxidase cDNAs have 74% sequence identity. Bolitho, et al. (1997) Plant Science 122: 91-99 at page 96, left-hand column. An apple ACC-oxidase antisense construct successfully downregulated the endogenous ACC-oxidase in tomato. Bolitho et al. Figures 3 and 4. Based on references such as the Bolitho reference, one of ordinary skill would have concluded that antisense sequences with less than 100% sequence identity can be used to downregulate a heterologous endogenous gene.

26. I have read the Gutterson reference (Gutterson (1995) HortScience 30:964-966).


27. It is my opinion that one of ordinary skill, after reviewing the Gutterson reference, would not conclude that use of sense suppression techniques in plant molecular biology requires a 100% sequence match between an introduced sequence and its target. While the Gutterson reference reports that a chrysanthemum chalcone synthase sense sequence did not suppress a petunia chalcone synthase, such a result does not mean that sequences with imperfect homology would necessarily be ineffective for downregulation. The references mentioned in paragraph 22 above show that sequences with less than 100% sequence identity to an endogenous gene have been used successfully to downregulate genes in plants. For example, bean and tobacco phenylalanine ammonia-lyase (PAL) DNAs have 71% sequence identity. Elkind, et al. (1990) Proc Natl Acad Sci U S A 87: 9057-61 at page 9057. Introduction of the bean PAL sense sequence into tobacco resulted in reduced levels of PAL activity and reduced accumulation of endogenous PAL transcripts. Elkind et al. at pages 9059-9060. Based on references such as the Elkind reference, one of ordinary skill would have concluded that sense suppression sequences with less than 100% sequence identity can be used to downregulate a heterologous endogenous gene.

Applicant : Roderick Scott
Serial No. : 10/058,825
Filed : January 30, 2002
Page : 8 of 8


Attorney Docket No.: 11696-067001

28. I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity and/or enforceability of the instant patent application or any patent issuing thereon.


Dated: 7/26/06


Steven E. Jacobsen

STATE OF California)
) ss.
COUNTY OF Los Angeles)



Before me this 26 day of July, 2006, personally appeared Steve Jacobsen known to me to be the person whose name is subscribed to the foregoing Declaration, and acknowledged that he executed the same as his free act and deed for the purposes therein contained.


Notary Public

BIBLIOGRAPHY OF STEVEN E. JACOBSEN

1. **Steven E. Jacobsen** and Russell W. Wallace. (1986) Life cycle and population dynamics of Yellow Foxtail in established alfalfa. *Proc. of the Western Society of Weed Science* 39:179-185.
2. **Steven E. Jacobsen** and Neil E. Olszewski. (1991) Characterization of the arrest in anther development associated with gibberellin deficiency of the gib-1 mutant of tomato. *Plant Physiology* 97:409-414.
3. **Steven E. Jacobsen** and Neil E. Olszewski. (1993) Mutations at the SPINDLY locus of Arabidopsis alter gibberellin signal transduction. *The Plant Cell* 5:887-896.
4. **Steven E. Jacobsen**, Shi Lifang, Zhanguo Xin, and Neil E. Olszewski. (1994) Gibberellin-induced changes in the translatable mRNA populations of stamens and shoots of gibberellin-deficient tomato. *Planta* 192:372-378.
5. **Steven E. Jacobsen** and Neil E. Olszewski. (1996) Gibberellins regulate the abundance of RNAs with sequence similarity to proteinase inhibitors, dioxygenases, and dehydrogenases. *Planta* 198:78-86.
6. Karen M. Leon-Kloosterziel, Marta Alvarez Gil, Gerda J. Ruijs, **Steven E. Jacobsen**, Neil E. Olszewski, Steven H. Schwartz, Jan A. D. Zeevaart, and Maarten Koornneef. (1996) Isolation and characterization of abscisic acid-deficient Arabidopsis mutants at two new loci. *The Plant Journal*, 10:655-661.
7. Steven E. Clark*, **Steven E. Jacobsen***, Joshua Z. Levin, and Elliot M. Meyerowitz. (1996) The CLAVATA and SHOOT MERISTEMLESS loci competitively regulate meristem activity in Arabidopsis. *Development* 122:1567-1575. * the first two authors contributed equally to this work.
8. **Steven E. Jacobsen**, Kalli A. Binkowski and Neil E. Olszewski. (1996) SPINDLY, a tetratricopeptide repeat protein involved in gibberellin signal transduction in Arabidopsis. *Proc. Nat. Acad. Sci. U. S. A.* 93:9292-9296.
9. **Steven E. Jacobsen**, Neil E. Olszewski, and Elliot M. Meyerowitz. (1997) SPINDLY's role in the gibberellin response pathway. In "Control of Plant Development: Genes and Signals". Society for Experimental Biology. pp 73-78.
10. **Steven E. Jacobsen** and Elliot M. Meyerowitz. (1997) Hypermethylated SUPERMAN epigenetic alleles in Arabidopsis. *Science* 277:1100-1103.
11. **Steven E. Jacobsen**. (1999) Gene silencing: Maintaining methylation patterns (Dispatch). *Current Biology* 9:R617-R619.

12. **Steven E. Jacobsen**, Mark P. Running, and Elliot M. Meyerowitz. (1999) Disruption of an RNA helicase/ RNAse III gene in Arabidopsis causes unregulated cell division in floral meristems. *Development* 126:5231-5243.
13. **Steven E. Jacobsen**, Hajime Sakai, E. Jean Finnegan, Xiaofeng Cao and Elliot M. Meyerowitz. (2000) Ectopic hypermethylation of flower-specific genes in Arabidopsis. *Current Biology* 10:179-186.
14. Xiaofeng Cao, Nathan M. Springer, Michael G. Muszynski, Ronald L. Phillips, Shawn Kaeppler, and **Steven E. Jacobsen**. (2000) Conserved plant genes with similarity to mammalian de novo DNA methyltransferases. *Proc. Nat. Acad. Sci. U. S. A.* 97: 4979-4984.
15. Hajime Sakai, Beth A. Krizek, **Steven E. Jacobsen**, and Elliot M. Meyerowitz. (2000) Regulation of SUP Expression Identifies Multiple Regulators Involved in Arabidopsis Floral Meristem Development. *Plant Cell*, 12:1607-1618.
16. Wim J.J. Soppe, **Steven E. Jacobsen**, Carlos Alonso-Blanco, James Jackson, Tetsuji Kakutani, Maarten Koornneef and Anton J.M. Peeters. (2000) The late flowering phenotype of fwa mutants is caused by gain-of-function epigenetic alleles of a homeodomain gene. *Molecular Cell*, 6:791-802.
17. Naoki Kishimoto, Hajime Sakai, James Jackson, **Steven E. Jacobsen**, Elliot M. Meyerowitz, Elisabeth S. Dennis and E. Jean Finnegan. (2001) Site specificity of the Arabidopsis MET1 DNA methyltransferase demonstrated through hypermethylation of the superman locus. *Plant Molecular Biology*, 46:171-183.
18. Anders Lindroth, Xiaofeng Cao, James P. Jackson, Daniel Zilberman, Claire M. McCallum, Steven Henikoff, **Steven E. Jacobsen**. (2001) Requirement of CHROMOMETHYLASE3 for maintenance of CpXpG methylation. *Science*, 292:2077-2080.
19. Cindy Sue Malone, Maurine D. Miner, Jeanette R. Doerr, James P. Jackson, **Steven E. Jacobsen**, Randolph Wall, and Michael Teitell. (2001) CmC(A/T)GG DNA Methylation in Mature B Cell Lymphoma Gene Silencing. *Proc. Nat. Acad. Sci. U. S. A.*, 98: 10404-10409.
20. Nancy A. Eckardt, Takashi Araki, Christoph Benning, Pilar Cubas, Justin Goodrich, **Steven E. Jacobsen**, Patrick Masson, Eiji Nambara, Rudiger Simon, Shauna Somerville, and Geoff Wasteneys. (2001) Arabidopsis Research 2001. *Plant Cell*, 13: 1973-1982.
21. James P. Jackson, Anders M. Lindroth, Xiaofeng Cao, **Steven E. Jacobsen**. (2002) Control of CpNpG DNA methylation by the KRYPTONITE histone H3 methyltransferase. *Nature* 416: 556-560.
22. Xiaofeng Cao and **Steven E. Jacobsen**. (2002) Role of the Arabidopsis DRM methyltransferases in de novo DNA methylation and gene silencing. *Current Biology* 12:1138-1144.

23. Yeonhee Choi, Mary Gehring, Lianna Johnson, Mike Hannon, John J. Harada, Robert B. Goldberg, **Steven E. Jacobsen**, Robert L. Fischer. (2002) DEMETER, a DNA Glycosylase Domain Protein, Is Required for Endosperm Gene Imprinting and Seed Viability in Arabidopsis. *Cell* 110: 33-42.
24. Xiaofeng Cao and **Steven E. Jacobsen**. (2002) Locus specific control of asymmetric and CpNpG methylation by the DRM and CMT3 methyltransferase genes. *Proc. Nat. Acad. Sci. U. S. A.*, 99, 16491-16498.
25. Lianna M. Johnson, Xiaofeng Cao and **Steven E. Jacobsen**. (2002) Interplay between two epigenetic marks: DNA methylation and histone H3 lysine 9 methylation. *Current Biology*, 12: 1360-1367.
26. Stephen E. Schauer, **Steven E. Jacobsen**, David W. Meinke, and Animesh Ray. (2002) DICER-LIKE1: Blind men and elephants in Arabidopsis development. *Trends in Plant Science*, 7: 487-491.
27. Wim J.J. Soppe, Zuzana Jasencakova, Andreas Houben, Tetsuji Kakutani, Armin Meister, Michael S. Huang, **Steven E. Jacobsen**, Ingo Schubert, and Paul F. Franz. (2002) DNA methylation controls histone H3 lysine 9 methylation and heterochromatin assembly in Arabidopsis. *EMBO*, 21: 6549-6559.
28. Daniel Zilberman, Xiaofeng Cao and **Steven E. Jacobsen**. (2003) ARGONAUTE4 control of locus-specific siRNA accumulation and DNA and histone methylation. *Science*, 299: 716-719.
29. Masaomi Kato, Asuka Miura, Judith Bender, **Steven E. Jacobsen**, and Tetsuji Kakutani. (2003) Role of CG and non-CG methylation in immobilization of transposons in Arabidopsis. *Current Biology*, 13: 421-426.
30. Xiaofeng Cao, Werner Aufsatz, Daniel Zilberman, M. Florian Mette, Michael S. Huang, Marjori Matzke and **Steven E. Jacobsen**. (2003) Role of the DRM and CMT3 Methyltransferases in RNA-directed DNA Methylation. *Current Biology*, 13: 2212-2217.
31. Tetsu Kinoshita, Asuka Miura, Yeonhee Choi, Yuki Kinoshita, Xiaofeng Cao, **Steven E. Jacobsen**, Robert L. Fischer and Tetsuji Kakutani. (2004) One-way control of FWA imprinting in Arabidopsis endosperm by DNA methylation. *Science*, 303: 521-523.
32. Simon W.-L. Chan, Daniel Zilberman, Zhixin Xie, Lisa K. Johansen, James C. Carrington, and **Steven E. Jacobsen**. (2004) RNA silencing genes control de novo DNA methylation. *Science*, 303: 1336.
33. Zhixin Xie, Lisa K. Johansen, Adam M. Gustafson, Kristin D. Kasschau, Andrew D. Lellis, Daniel Zilberman, **Steven E. Jacobsen**, and James C. Carrington. (2004) Genetic and Functional Diversification of Small RNA Pathways in Plants. *PLoS Biology*, 2:642-652.

34. James P. Jackson, Lianna Johnson, Zuzana Jasencakova, Xing Zhang, Laura Perez-Burgos, Prim B. Singh, Xiaodong Cheng, Ingo Schubert, Thomas Jenuwein, **Steven E. Jacobsen**. (2004) Dimethylation of histone H3 lysine 9 is a critical mark for DNA methylation and gene silencing in *Arabidopsis thaliana*. *Chromosoma*, 112: 308-315.
35. Daniel Zilberman, Xiaofeng Cao, Lisa K. Johansen, Zhixin Xie, James C. Carrington and **Steven E. Jacobsen**. (2004) Role of *Arabidopsis* ARGONAUTE4 in RNA-Directed DNA Methylation Triggered by Inverted Repeats. *Current Biology*, 14: 1214-1220.
36. Kevin V. Morris, Simon W. L. Chan, **Steven E. Jacobsen**, and David J. Looney. (2004) Small interfering RNA-induced transcriptional gene silencing in human cells. *Science*, 305:1289-1292.
37. Anders M Lindroth, David Shultis, Zuzana Jasencakova, Jörg Fuchs, Lianna Johnson, Daniel Schubert, Debasis Patnaik, Sriharsa Pradhan, Justin Goodrich, Ingo Schubert, Thomas Jenuwein, Sepideh Khorasanizadeh, and **Steven E. Jacobsen**. (2004) Dual histone H3 methylation marks at lysines 9 and 27 required for interaction with CHROMOMETHYLASE3. *EMBO*, 23: 4286 - 4296.
38. Debasis Patnaik, Hang Gyeong Chin, Pierre-Olivier Esteve, Jack Benner, **Steven E. Jacobsen**, and Sriharsa Pradhan (2004) Substrate specificity and kinetic mechanism of mammalian G9a histone H3 methyltransferase. *Journal of Biological Chemistry*, 279:53248–53258.
39. Lianna Johnson, Sahanna Molla, Benjamin A. Garcia, Tara L. Muratore, Jeffrey Shabanowitz, Donald F. Hunt and **Steven E. Jacobsen**. (2004) Mass spectrometry analysis of *Arabidopsis* histone H3 reveals distinct combinations of post-translational modifications. *Nucleic Acids Research*, 32: 6511-6518.
40. Todd C. Mockler, Simon Chan, Ambika Sundaresan, Huaming Chen, **Steven E. Jacobsen** and Joseph R. Ecker. (2005) Applications of DNA Tiling Arrays for Whole-Genome Analysis. *Genomics*, 85:1-15.
41. Robert K. Tran, Jorja G. Henikoff, Daniel Zilberman, Renata F. Ditt, **Steven E. Jacobsen** and Steven Henikoff. (2005) DNA methylation profiling identifies CG methylation clusters in *Arabidopsis* genes. *Current Biology*, 15:154-159.
42. Simon W. L. Chan, Ian R. Henderson, and **Steven E. Jacobsen**. (2005) Gardening the genome: DNA methylation in *Arabidopsis thaliana*. *Nature Reviews Genetics*, 6:351-360.
43. Assaf Zemach, Yan Li, Bess Wayburn, Hagit Ben-Meir, Vladimir Kiss, Yigal Avivi, Vyacheslav Kalchenko, **Steven E. Jacobsen**, and Gideon Grafi. (2005) DDM1 binds *Arabidopsis* Methyl-CpG Binding Domain proteins and affects their subnuclear localization. *Plant Cell*, 17:1549-1558.

44. Robert K Tran, Daniel Zilberman, Cecilia de Busto, Renata F Ditt, Jorja G Henikoff, Anders M Lindroth, Jeffrey Delrow, Tom Boyle, Samson Kwong, Terri D Bryson, **Steven E Jacobsen** and Steven Henikoff. (2005) Chromatin and siRNA pathways cooperate to maintain DNA methylation of small transposable elements in Arabidopsis. *Genome Biology*, 6, R90.
45. Mary Grace Goll, Finn Kirpekar, Keith A. Maggert, Jeffrey A. Yoder, Chih-Lin Hsieh, Xiaoyu Zhang, Kent G. Golic, **Steven E. Jacobsen**, Timothy H. Bestor (2006) Methylation of tRNA-Asp by the DNA Methyltransferase Homolog Dnmt2. *Science*, 311:395-398.
46. Hang Gyeong Chin, Debasis Patnaik, Pierre-Olivier Estève, **Steven E. Jacobsen**, and Sriharsa Pradhan. (2006) Catalytic properties and kinetic mechanism of human recombinant Lys-9 histone H3 methyltransferase SUV39H1: participation of the chromodomain in enzymatic catalysis. *Biochemistry* 10:3272-3284.
47. Joshua S. Mylne, Lynne Barrett, Federico Tessadori, Stéphane Mesnage, Lianna Johnson, Yana V. Bernatavichute, **Steven E. Jacobsen**, Paul Fransz and Caroline Dean. (2006) LHP1, the Arabidopsis homologue of HETEROCHROMATIN PROTEIN1, is required for epigenetic silencing of FLC. *Proc. Nat. Acad. Sci. U. S. A.*, 103:5012-5017.
48. Sibum Sung, Yuehui He, Tifani W. Eshoo, Yosuke Tamada, Lianna Johnson, Kenji Nakahigashi, Koji Goto, **Steve E. Jacobsen**, and Richard M. Amasino. (2006) Epigenetic maintenance of the vernalized state in Arabidopsis thaliana requires LIKE HETEROCHROMATIN PROTEIN 1. *Nature Genetics*, 38:706-710.
49. Ian R Henderson, Xiaoyu Zhang, Cheng Lu, Lianna Johnson, Blake C Meyers, Pamela J Green and **Steven E Jacobsen**. (2006) Dissecting Arabidopsis thaliana DICER function in small RNA processing, gene silencing and DNA methylation patterning. *Nature Genetics*, 38: 721-725.
50. Simon W. L. Chan, Ian R. Henderson, Xiaoyu Zhang, Govind Shah, Jason S. C. Chien, and **Steven E. Jacobsen**. (2006) RNAi, DRD1, and histone methylation actively target developmentally important non-CG DNA methylation in Arabidopsis. *PLoS Genetics*, 2:e83.
51. Carey Fei Li, Olga Pontes, Mahmoud El-Shami, Ian R. Henderson, Yana V. Bernatavichute, Simon W.-L. Chan, Thierry Lagrange, Craig S. Pikaard, and **Steven E. Jacobsen** (2006) An ARGONAUTE4-containing nuclear processing center colocalized with Cajal bodies in Arabidopsis thaliana. *Cell*, 126, 93-106.
52. Olga Pontes, Carey Fei Li, Pedro Costa Nunes, Jeremy Haag, Thomas Ream, Alexa Vitins, **Steven E. Jacobsen** and Craig S. Pikaard (2006) The Arabidopsis chromatin-modifying nuclear siRNA pathway involves a nucleolar RNA processing center. *Cell*, 126, 79-92.